

Shreyas Vidyalaya

Shree Rajnikant Jani Mang, Manjalpur, Vadodara -390004

Subject: COMPUTER

Std -10 Source: Computer Textbook

Ch-1 Introduction to HTML

_						
11	PA	ır c	TI.	ın	or	nts .
$\boldsymbol{\sim}$	Lu	1 3		ıu	-1	ILJ .

Solve the given MCQ's	from Chapter -	-1 Introduction to HTML	by OMR pattern
-----------------------	----------------	-------------------------	----------------

MK putter... Nita P. Jani Principal

1.	. What is a group of computers connecte	d with each other	known as ?
	O a)Group O b) Network	O c) Sever	O d) All of these
2.	. What is collection of multiple computers n	etworks known as?	
	O a) Internet O b) HTML	O c) HTTP	O d) None of these
3.	. Which of the following is correct full form of	of WWW?	
	O a) Working with Web O b) V	Working Wide Web	
	O c) World Wide Web O d) V	World With Web	
4.	first gave an idea of web.		
	O a) Bill Gates O b) National Science Four	ndation Oc) U.S. I	Defence Dept. O d) Tim Berners Lee
5.	. Tim Berners Lee gave idea of web in the ye		
	O a) 1971 O b) 1981		O d) 2001
6.	. The web content in form of web pages can	be explored using _	
		O b) Presentation	
	O c) Web browser Software	O d) Web Chat So	oftware
7.	. On Webpages connection of different locat		
	O a) Hyper text O b) Hyperlink	O c) Hyper joint	O d) Hyper mark
8.	. Select from the following the content that	can be linked with h	yperlink.
	O a) Text O b) Picture	O c) Graphics	O d) All of these
9.	. The full form of HTML is		
	O a) Hyper Terminal Markup Language	O b) Hyp	er Tab Markup Language
	O c) Hyper Text Markup Language		er Text Making Language
10	0. HTML is derived from		
	O a) SGML O b) STML O c) F	HTTP C	d) DHTML
11	1. What is the full form of SGML?		
	O a) System General Markup Language	O b) Syst	em General Manipulation Language
	O c) Standardized General Manipulation	Language Od) Stan	dardized General Markup Language
12	2. Which of the following is the standard lan	guage for creating w	vebpage or website?
	O a) Visual Basic O b) Microsoft Word	O c) HTML	O d) None of these
13	3. Which program is used for HTML program	?	
	O a) Corel Draw O b) Page Maker	O c) Text Editor	O d) All of these
14	4. In HTML angular bracket and text inside it	is called	_
	O a) Tag O b) Tab	O c) Tap	O d) All of these
15	5. In which of the following brackets HTML co	ommand is embedde	ed ?
	O a) Round () O b) Square []	O c) Curly { } C	d) Angular < >
16	6. Which of the following symbol is used to ϵ	end HTML tag eleme	ent ?
	O a) \$ O b) / O c) *	O d) #	
17	7. Select from the following the editor progr	am that can be sued	l to write HTML Program.
	O a) gedit O b) SciTE	O c) A & B both	O d) None of these





18.	18. Choose the correct command sequence to open gedit in Linux.						
	O a) Applications→Programs→gedit O b) Applications→Accessories→gedit						
	O c) Applications→Openoffice.org→gedit O d) All Programs→Openoffice.org→gedit						
19.	Which of the follow	ing represent exte	ension of HTI	ML file ?			
	O a) .htm	O b) .html	O c)	A or B	O d) No	one of these	
20.	Output of HTML pro	ogram is seen in _		prograr	n.		
	O a) Microsoft Wor	d (O b) Windov	vs Media P	layer		
	O c) Microsoft Powe						
21.	Which of the follow	ing English chara	cters can be	used to wr	ite HTMI	L code ?	
	O a) Upper Case	O b) Lov	ver Case	O c) A and	B Both	O d) None of these	
22.	In How many parts,	HTML document	is structured	d ?			
	O a) Two	O b) Three	O c) Four		O d) Fiv	<i>r</i> e	
23.	Which section of H	ΓML document in	cludes the in	formation	of page I	like title and description?	
	O a) Head	O b) body	O c)	A and B bo	oth	O d) None of these	
24.	To display the text i	n the title bar of	web browser	·t	tag is use	d.	
	O a) <html></html>	O b) < title>	O c) <bod< td=""><td>y></td><td>O d) <</td><td></td><td></td></bod<>	y>	O d) <		
25.	Any HTML docume	nt can have	title elen	nent.			
	O a) Only one	O b) Two	O c)	Three	O d) Fo	ur	
26.	The main part of HT	ML document is o	displayed in _		_tag.		
(O a) <html></html>	O b) <title></td><td>O c) <k</td><td>ody></td><td>O d) <h</td><td>ead></td><td></td></tr><tr><td>27.</td><td>How many heading</td><td>tags are there in I</td><td>HTML?</td><td></td><td></td><td></td><td></td></tr><tr><td>(</td><td>Oa) Four</td><td>O b) Five</td><td>O c)</td><td>Six</td><td>O d) Eig</td><td>ght</td><td></td></tr><tr><td>28.</td><td>Which of the follow</td><td>ing tag displays th</td><td>ne heading te</td><td>ext in bigge</td><td>st size ?</td><td></td><td></td></tr><tr><td>(</td><td>O a) <h1></td><td>O b) <h6></td><td>O c)</td><td><h4></td><td></td><td>O d) <h5></td><td></td></tr><tr><td>29.</td><td>In HTML which tag i</td><td>s used to display</td><td>the text in pa</td><td>aragraph st</td><td>yle ?</td><td></td><td></td></tr><tr><td></td><td>O a) <pr></td><td></td><td>-</td><td>•</td><td></td><td>O d) <pre></td><td></td></tr><tr><td>30.</td><td>In HTML</td><td> tag is used to</td><td>break the lin</td><td>e.</td><td></td><td></td><td></td></tr><tr><td></td><td>O a) <l></td><td>•</td><td>•</td><td></td><td>•</td><td></td><td></td></tr><tr><td></td><td>Which of the follow</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>• •</td><td>O b) <pre></td><td>·-</td><td></td><td></td><td>O d) </td><td></td></tr><tr><td></td><td>In HTML document</td><td>_</td><td></td><td></td><td>_</td><td></td><td></td></tr><tr><td></td><td>O a) Paired tag</td><td></td><td>•</td><td></td><td>_</td><td></td><td></td></tr><tr><td>33.</td><td></td><td></td><td></td><td></td><td></td><td>coming text in to new line.</td><td></td></tr><tr><td></td><td>O a)</td><td>O b) <br /)></td><td>O c)</td><td><br *></td><td></td><td>Od) <br\$></td><td></td></tr><tr><td colspan=7>34. Which HTML tag is used to display text with multiple white spaces and multiple lines</td></tr><tr><td></td><td>waiting to be char</td><td>nged it by the br</td><td>owser?</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>O a) <body></td><td>O b) <pre></td><td>O c)</td><td></td><td></td><td>O d) <head></td><td></td></tr><tr><td>35.</td><td>HTML tag</td><td> is used to d</td><td>display the ខ្</td><td>given cont</td><td>ent into</td><td>bold letters.</td><td></td></tr><tr><td></td><td>O a) </td><td>O b)</td><td>O c)</td><td><bo></td><td></td><td>O d) <title></td><td></td></tr><tr><td>36.</td><td>Select the HTML t</td><td>ag that is used t</td><td>o display th</td><td>e given co</td><td>ntent w</td><td>ith underlined letters.</td><td></td></tr><tr><td></td><td>O a) </td><td>O b) <u></td><td>O c)</td><td></td><td></td><td>O d) </td><td></td></tr><tr><td>37.</td><td>Which HTML tag is</td><td>s used to display</td><td>the given o</td><td>content in</td><td>to italics</td><td>s letters.</td><td></td></tr><tr><td></td><td>O a) </td><td></td><td>O c)</td><td></td><td></td><td>O d) <slant></td><td></td></tr><tr><td>38.</td><td>•</td><td>•</td><td>•</td><td></td><td></td><td>e through a thin line through</td><td></td></tr><tr><td></td><td>the text.</td><td></td><td></td><td>- - /</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>O b) <strike></td><td>O c)</td><td>Δ or B</td><td></td><td>O d) None of these</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>riter type of fonts.</td><td></td></tr><tr><td>٠,٠</td><td></td><td></td><td></td><td></td><td></td><td>O d) <strike></td><td></td></tr><tr><td>40</td><td>•</td><td></td><td>•</td><td></td><td></td><td>than the rest of the text.</td><td></td></tr><tr><td>-∪.</td><td>O a) <s></td><td>O b) <small></td><td></td><td></td><td></td><td>O d) B or C</td><td></td></tr><tr><td></td><td>∪ aj \3/</td><td>O DJ SIIIdil/</td><td>0 ()</td><td>\IC33/</td><td></td><td>o a) b oi c</td><td></td></tr></tbody></table></title>					

41.	Select the HTML	element whose	e content is dis	splayed o	ne font size b	igger than the rest of
	the text.					
	O a) <big></big>	O b) 	O c) <	<high></high>	O d)	All of these
42.						n its preceding text and
	little higher in he					
	O a) <small></small>	_	high> 0	c) <sun></sun>	. Od).	csuh>
12						ther document by
45.		-			iected to ano	ther document by
	creating hyper to	ext is known as		0 % 11	با مناه مین	O d\ I I m o a Comobino
						O d) Hyper Combine
44.					-	ve specified them into
	the HTML code					- 11 -
	O a) Fixed					O d) Constant
45.	Which of the fol	lowing HTML ta	ig is used to cre	eate hype	erlink ?	
	O a) <hr/>	O b) <l< th=""><th>or></th><th>Oc) <a></th><th>></th><th>Od) <body></body></th></l<>	or>	Oc) <a>	>	Od) <body></body>
46.	While creating h	yperlink in HTN	ባL document tl	he file fro	om which and	other file is called is
	known as					
	O a) Calling file of	f Parent file			O b) Referred	file or called file
	O c) A and B both				O d) None of	these
47.	While creating hyp	oerlink in HTML o	locument the fil	e which is	s called is know	vn as
	O a) Calling file or	Parent file		O b) Re	ferred file or o	alled file
	O c) A and B both					
				e referred	file is located	one directory above then
	we may prefix					
	O a) //	•	•		•	
						owser understand.
						calling file are same
	O c) referred file is		•	-	ne of these	
50.	HTML tab attribute				- N -	
- 4	O a) Two				Od) F	ive
51.	Which of the follo	-	_			0.17.41
- 2	O a) attribute nam			-		-
52.	In HTML tag <a jre<="" th=""><th>•</th><th></th><th>_</th><th></th><th></th>	•		_		
E 2	Oa) a	Ob) href		l.html		II of these
55.	The value of attrib	Ob)# #	Oc)!		Sigi Od) "	1. <i>u</i>
5/1	In HTML tag some	•	•		/	nwn ac
54.	O a) Universal att		O b) Primary a	_	ery tag are krit	JWII as
	O c) Unique attrib		O d) None of t			
55	From which of the		•		ne obtained fre	e?
55.	Oa)www.scintilla.	_	ww.scite.org			Od) <u>www.skite.org</u>
56.	sciTE is a text editor			-	_	
50.	O a)OpenOffice		ientific	arting co.	Oc) scintilla	Od) None of these
57.	Select the latest ve				<i>C</i> 0, 00	
	Oa) HTML 3.0		ML 4.0	Oc) HTN	ML 6.0	Od) HTML 5.0
58.	Which of the follow	•				,
	O a) <body></body>	Ob) <h< th=""><th></th><th>Oc) <ht< th=""><th></th><th>Od) </th></ht<></th></h<>		Oc) <ht< th=""><th></th><th>Od) </th></ht<>		Od)
	•	"STA	AY HOME	ST.	AY SAFI	= "
		U 17	71 11 VIVIE	_, 🔾 🗤		

Nita P Jani Academic Head Shree Shreyas Education Trust Pankaj Jani Managing Secretary Shree Shreyas Education Trust





